



# COPPER TWO HOLE SHORT BARREL SERIES COLOR CODED



File No.: E328465

CAT NO.	Wire Range	Stud Size	Hole Spacing	Colour Code	d1	j	b	a	f	e	c2	c1 + c2	s	TOOL & DIE REFERENCE	NO. OF CRIMPS	STRIP LENGTH
CE 044	8	10	5/8	RED	4.4	46.2	11.2	10.7	2	5.3	7.1	32	15.90	M=MH14	2	10mm
CE 045	6	1/4	5/8	BLUE	5.2	53	18	10.7	2.1	6.4	7.1	32	15.90	M=MH14	2	16mm
CE 045A	6	1/4	1		5.2	67	18	10.7	2.1	6.4	7.1	46	25.40			
CE 045B	6	3/8	1	GREY	5.2	67	18	12.4	2.2	10.5	9.7	46	25.40	M=MH14	2	17mm
CE 046	4	1/4	5/8		6.4	53	18	12.4	2.2	6.4	7.1	32	15.90			
CE 046A	4	1/4	1		6.4	68	19	12.4	2.2	6.4	7.1	46	25.40			
CE 046B	4	3/8	1	BROWN	6.4	68	19	12.4	2.2	10.5	9.7	46	25.40	I=ECO50 DIE.UL107	1	19mm
CE 047	2	5/16	3/4		8	66.6	21	15.3	2.6	8.4	8.1	41	19.10			
CE 047A	2	1/4	5/8		8	58	21	15.3	2.6	6.4	7.1	32	15.90			
CE 047B	2	3/8	1		8	72	21	15.3	2.6	10.5	7.1	46	25.40			
CE 047C	2	1/4	3/4		8	60	21	15.3	2.6	6.4	7.1	35	19.10			
CE 047D	2	1/4	1	GREEN	8	71	21	15.3	2.6	6.4	7.1	46	25.40	I=ECO50 DIE.UL119	1	19mm
CE 048	1	1/4	5/8		9.1	58	21	17.1	2.7	6.4	7.1	32	15.90			
CE 049	1/0	5/16	7/8	PINK	9.9	67.1	21	18.9	3.2	8.4	8.1	41.1	22.20	I=ECO50 DIE.UL132	1	19mm
CE 050	1/0	3/8	1		9.9	72	21	18.9	3.2	10.5	9.7	46	25.40			
CE 051	2/0	3/8	1	BLACK	11.2	76	24	20.7	3	10.5	9.7	46	25.40	I=ECO50 DIE.UL143	1	22mm
CE 052	2/0	1/2	1 3/4		11.2	106	24	20.7	3	13	15.7	76	44.50			
CE 053	3/0	1/2	1 3/4	ORANGE	12.5	109	25	22.9	3.2	13	15.7	76	44.50	I=ECO50 DIE.UL158	2	23mm
CE 053A	3/0	3/8	1		12.5	79	25	22.9	3.2	10.5	9.7	46	25.40			
CE 054	4/0	1/2	1 3/4	PURPLE	13.9	109	25	25.4	3.4	13	15.7	76	44.50	I=ECO50 DIE.UL175	2	23mm
CE 055	4/0	3/8	1		13.9	79	25	25.4	3.4	10.5	9.7	46	25.40			
CE 056	250	1/2	1 3/4	YELLOW	15.1	112	27	27.7	3.8	13	15.7	76	44.50	I=REC-5510 DIE.UL190	2	25mm
CE 056A	250	3/8	1		15.1	82	27	27.7	3.8	10.5	9.7	46	25.40			
CE 057	300	1/2	1 3/4	WHITE	16.7	112	27	30.2	3.8	13	15.7	76	44.50	I=REC-5510 DIE.UL207	2	25mm
CE 058	350	1/2	1 3/4	RED	17.8	115	28	32.4	4.2	13	15.7	76	44.50	I=REC-5510 DIE.UL222	2	26mm
CE 058A	350	3/8	1		17.8	85	28	32.4	4.2	10.5	9.7	46	25.40			
CE 059	400	1/2	1 3/4	BLUE	19.4	119	30	35.2	4.5	13	15.7	76	44.50	I=REC-5510 DIE.UL241	2	28mm
CE 059R	400	1/2	1 3/4			122		35.7	4.7		13.5	73	44.50			
CE 060	500	1/2	1 3/4	BROWN	21.3	124	35	39.1	5.5	13	15.7	76	44.50	I=REC-5510 DIE.UL270	2	33mm
CE 060A	500	3/8	1		21.3	94	35	39.1	5.5	10.5	9.7	46	25.40			
CE 061	600	3/8	1 3/4	GREEN	23.5	126	38	43.6	6.4	13	15.7	76	44.50	I=REC5510 DIE.UL300	2	36mm
CE 062	600	1/2	1 3/4		23.5	128	38	43.6	6.4	13	15.7	76	44.50			36mm
CE 062R	600	1/2	1 3/4		23.5	129	35	43.7	6.75	13	13.5	73	44.50			33mm
CE 062AR	600	3/8	1 3/4		23.5	104	36	43.7	6.75	10.5	9.7	47	25.40			34mm
CE 062BR	650	1/2	1 3/4	PINK	24.75	129	35	45.2	6.75	13	13.5	73	44.50	I=REC-5510 DIE.UL315		34mm
CE 063	750	1/2	1 3/4	BLACK	26.5	140	47	48.3	6.8	13	15.7	76	44.50	I=REC-5510 DIE.UL333	2	45mm

Terminals can be provided with or without inspection vents.