


# COPPER SINGLE HOLE STANDARD BARREL SERIES



File No.: E328465

CAT NO.	CABLE SIZE	e	b	a	d1	j	TOOL RECOMMENDED DIE REFERENCE	NUMBER OF CRIMPS	STRIP LENGTH
CEDL 6 - 5	8	M 5	10	8.5	3.8	30.5	M=MH14	1	8mm
CEDL 6 - 6	8	M 6	10	8.5	3.8	31.5			
CEDL 6 - 8	8	M 8	10	13.0	3.8	34.0			
CEDL 10 - 5	6	M 5	10	9.0	4.5	34.0	M=MH14	1	8mm
CEDL 10 - 6	6	M 6	10	9.0	4.5	34.5			
CEDL 10 - 8	6	M 8	10	13.0	4.5	37.0			
CEDL 16 - 6	6	M 6	20	13.0	5.5	43.5	M=MH14	1	18mm
CEDL 16 - 8	6	M 8	20	13.0	5.5	46.0			
CEDL 16-10	6	M10	20	17.0	5.5	48.0			
CEDL 16-12	6	M12	20	18.0	5.5	49.0			
CEDL 25 - 6	4	M 6	20	14.0	7.0	45.5	I=ECO50 DIE.UL100	1	18mm
CEDL 25 - 8	4	M 8	20	16.0	7.0	48.0			
CEDL 25-10	4	M10	20	17.0	7.0	50.0			
CEDL 25-12	4	M12	20	19.0	7.0	51.0			
CEDL 35 - 6	2	M 6	20	17.0	8.2	49.5	I=ECO50 DIE.UL125	1	18mm
CEDL 35 - 8	2	M 8	20	17.0	8.2	52.0			
CEDL 35-10	2	M10	20	19.0	8.2	54.0			
CEDL 35-12	2	M12	20	21.0	8.2	55.0			
CEDL 35-14	2	M14	20	21.0	8.2	56.5			
CEDL 50 - 8	1	M 8	28	20.0	10.0	62.0	I=ECO50 DIE.UL145	2	26mm
CEDL 50-10	1	M10	28	22.0	10.0	64.0			
CEDL 50-12	1	M12	28	24.0	10.0	65.0			
CEDL 50-14	1	M14	28	24.0	10.0	66.5			
CEDL 50-16	1	M16	28	28.0	10.0	68.0			
CEDL 70 - 8	2/0	M 8	28	24.0	11.5	65.0			
CEDL 70-10	2/0	M10	28	24.0	11.5	67.0			
CEDL 70-12	2/0	M12	28	24.0	11.5	68.0			
CEDL 70-14	2/0	M14	28	24.0	11.5	69.5			
CEDL 70-16	2/0	M16	28	30.0	11.5	71.0			
CEDL 95 - 8	3/0	M 8	35	28.0	13.5	77.0	I=ECO50 DIE.UL190	2	33mm
CEDL 95-10	3/0	M10	35	28.0	13.5	77.0			
CEDL 95-12	3/0	M12	35	28.0	13.5	78.0			
CEDL 95-14	3/0	M14	35	28.0	13.5	79.5			
CEDL 95-16	3/0	M16	35	32.0	13.5	81.0			
CEDL 120 - 10	250 MCM	M10	35	32.0	15.5	85.0			
CEDL 120 - 12	250 MCM	M12	35	32.0	15.5	86.0			
CEDL 120 - 14	250 MCM	M14	35	32.0	15.5	88.0			
CEDL 120 - 16	250 MCM	M16	35	34.0	15.5	89.0			
CEDL 120 - 20	250 MCM	M20	35	38.0	15.5	91.0			
CEDL 150 - 10	300 MCM	M10	35	34.0	17.0	93.0	I=REC-5510 DIE.UL235	2	33mm
CEDL 150 - 12	300 MCM	M12	35	34.0	17.0	94.0			
CEDL 150 - 14	300 MCM	M14	35	34.0	17.0	97.0			
CEDL 150 - 16	300 MCM	M16	35	34.0	17.0	97.0			
CEDL 150 - 20	300 MCM	M20	35	40.0	17.0	99.0			
CEDL 185 - 10	400 MCM	M10	40	37.0	19.0	97.0			
CEDL 185 - 12	400 MCM	M12	40	37.0	19.0	98.0			
CEDL 185 - 14	400 MCM	M14	40	37.0	19.0	101.0			
CEDL 185 - 16	400 MCM	M16	40	37.0	19.0	101.0			
CEDL 185 - 20	400 MCM	M20	40	40.0	19.0	103.0			
CEDL 240 - 12	500 MCM	M12	40	42.0	21.5	108.0	I=REC-5510 DIE.UL290	2	38mm
CEDL 240 - 14	500 MCM	M14	40	42.0	21.5	111.0			
CEDL 240 - 16	500 MCM	M16	40	42.0	21.5	111.0			
CEDL 240 - 20	500 MCM	M20	40	45.0	21.5	113.0			
CEDL 300 - 14	600 MCM	M14	50	48.0	24.5	119.0			
CEDL 300 - 16	600 MCM	M16	50	48.0	24.5	119.0			
CEDL 300 - 20	600 MCM	M20	50	48.0	24.5	122.0			
CEDL 400 - 14	750 MCM	M14	70	55.0	27.5	140.0	C=CRIMP-FT-1000 DIE H385	3	68mm
CEDL 400 - 16	750 MCM	M16	70	55.0	27.5	140.0			
CEDL 400 - 20	750 MCM	M20	70	55.0	27.5	140.0			

Terminals can be provided with or without inspection vents.  
Dimensions as per DIN-46235

